

Message

From: Ottinger, Elizabeth [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=EA382AEBBC957496A9130124D9CF44C7C-EOTTINGE]
Sent: 12/8/2020 9:41:38 PM
To: Paul Hlavinka -MDE- [paul.hlavinka@maryland.gov]
Subject: RE: 20SW Status

I sent the comment to Michelle this afternoon in track changes so that you can just easily accept it. I imagine that she will send something to you asap.


From: Paul Hlavinka -MDE- <paul.hlavinka@maryland.gov>
Sent: Tuesday, December 08, 2020 4:35 PM
To: Ottinger, Elizabeth <Ottinger.Elizabeth@epa.gov>
Subject: 20SW Status

I know that EPA had one main concern with the draft, which I had responded to. Do you know when we may get all comments back? Just trying to make sure we are ready to role as quickly as possible.

--

Email Updates

[Click here](#) to subscribe to an email newsletter providing updates regarding MDE's general discharge permits.



Paul Hlavinka
Chief, Industrial Stormwater Permits Division
Water and Science Administration
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
paul.hlavinka@maryland.gov
410-537-3631 (O)
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.